

## EAST Search History

| Ref # | Hits     | Search Query   | DBs  | Default Operator | Plurals | Time Stamp          |
|-------|----------|--|--|------------------|---------|---------------------|
| S55   | 576534   | @pd>"20081021"   | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>16:57 |
| S56   | 25617540 | @ad<"20020711" or<br>@rlad<"20020711"                                | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>16:59 |
| S57   | 56       | S56 and proxy adj server<br>with (table or map) near10<br>url        | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>16:59 |
| S58   | 2        | S55 and S57  | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>16:59 |
| S59   | 74       | S56 and proxy adj server<br>with (table or map or log)<br>near10 url | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:01 |
| S60   | 3        | S55 and S59  | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:01 |
| S61   | 127      | S56 and proxy with (table or<br>map or log) near10 url               | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:01 |
| S62   | 68       | S61 and "707".clas.  | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:01 |
| S63   | 2        | S55 and S62  | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:01 |
| S64   | 22       | S61 and load near2<br>(balancer or balancing)                        | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR               | ON      | 2009/03/03<br>17:02 |

|     |    |   |  |    |    |                     |
|-----|----|---|--|----|----|---------------------|
| S65 | 0  | S55 and S64   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:02 |
| S66 | 13 | S64 and "707".clas.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:02 |
| S67 | 0  | S55 and S66   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:02 |
| S68 | 29 | S56 and load near2<br>(balancer or balancing) with<br>(table or log or map) near10<br>url   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:02 |
| S69 | 0  | S55 and S68   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:02 |
| S70 | 30 | S56 and apache near5 log  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:03 |
| S71 | 3  | S55 and S70   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:03 |
| S72 | 15 | S56 and (database or log or<br>table or map or mapping)<br>near10 request near2 (send<br>or sending or sent) near2<br>flag                | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:03 |
| S73 | 0  | S55 and S72   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:03 |
| S74 | 25 | S56 and (database or log or<br>table or map or mapping)<br>near10 request near2 (send<br>or sending or sent) near2<br>(flag or indicator) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:04 |
| S75 | 0  | S55 and S74   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:04 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S76 | 92  | S56 and date near3 time with request near3 sent   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:05 |
| S77 | 1   | S55 and S76   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:05 |
| S78 | 2   | "20030069968"   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:05 |
| S79 | 4   | S56 and (date near3 time with request near3 sent) near10 (database or log or table or map or mapping) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:06 |
| S80 | 0   | S55 and S79   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:06 |
| S81 | 226 | S56 and (time with request near3 sent) with (database or log or table)                                | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:07 |
| S82 | 1   | S55 and S81   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:07 |
| S83 | 165 | S56 and (time with request) near5 (database or log) and (proxy or balancer)                           | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:07 |
| S84 | 9   | S55 and S83   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:07 |
| S85 | 28  | S56 and (time with request) near5 (database or log) with (proxy or balancer)                          | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:08 |
| S86 | 1   | S55 and S85   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:08 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S87 | 50  | S56 and (time near4 request) near7 (database or log or logging or save or saving) near10 (proxy or balancer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:08 |
| S88 | 1   | S55 and S87  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:08 |
| S89 | 22  | S87 not S85  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S90 | 0   | S55 and S89  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S91 | 247 | S56 and request near3 sent near3 (flag or indicator)   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S92 | 2   | S55 and S91  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S94 | 8   | S56 and request near3 sent near3 (flag or indicator) near10 reset  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S95 | 0   | S55 and S94  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S96 | 1   | S56 and request near3 sent near3 (flag or indicator) near10 reset near5 response                             | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S97 | 0   | S55 and S96  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:09 |
| S98 | 25  | S56 and request near5 (flag or indicator) near10 reset near5 response  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:10 |

|      |     |   |  |    |    |                     |
|------|-----|---|--|----|----|---------------------|
| S99  | 0   | S55 and S98   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S100 | 184 | S56 and (database or log or logging or save or saving) near10 request near3 (flag or indicator)                         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S101 | 0   | S55 and S100  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S102 | 21  | S56 and (database or log or logging or save or saving) near10 request near3 (flag or indicator) and (proxy or balancer) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S103 | 0   | S55 and S102  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S104 | 17  | S56 and request near3 flag near10 response near3 (reset or re-set)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S105 | 0   | S55 and S104  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S106 | 20  | S56 and request near3 flag near3 set and response near3 flag near3 (reset or re-set)                                    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S107 | 0   | S55 and S106  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:10 |
| S108 | 147 | S56 and request near3 counter and proxy   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S109 | 1   | S55 and S108  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |

|      |    |  |  |    |    |                  |
|------|----|--|--|----|----|------------------|
| S110 | 40 | S56 and request adj counter and proxy  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S111 | 1  | S55 and S110   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S112 | 8  | S56 and request adj sent adj (bit or flag or indicator)                            | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S113 | 0  | S55 and S112   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S114 | 1  | S56 and request adj sent adj (bit or flag or indicator) near10 response            | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S115 | 0  | S55 and S114   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S116 | 3  | S56 and request adj sent adj (bit or flag or indicator) near10 (response or reply) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S117 | 0  | S55 and S116   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S118 | 69 | S56 and request near3 (bit or flag) near10 (response or reply) and proxy           | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S119 | 0  | S55 and S118   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |
| S120 | 21 | S56 and request near2 (flag or bit or value) near15 response near4 reset           | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:11 |

|      |     |   |  |    |    |                     |
|------|-----|---|--|----|----|---------------------|
| S121 | 0   | S55 and S120  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S122 | 43  | service near2 availability<br>near2 protocol  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S123 | 4   | S55 and S122  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S124 | 18  | service adj2 availability adj2<br>protocol  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S125 | 3   | S55 and S124  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:11 |
| S126 | 92  | S56 and load adj balancing<br>and proxy with (request or<br>requesting or requested)<br>with server with (available or<br>availability) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |
| S127 | 2   | S55 and S126  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |
| S128 | 3   | S56 and service adj<br>availability adj request   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |
| S129 | 0   | S55 and S128  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |
| S130 | 134 | S56 and server near2<br>availability near4 request  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |
| S131 | 3   | S55 and S130  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:14 |

|      |    |   |  |    |    |                  |
|------|----|---|--|----|----|------------------|
| S132 | 52 | S56 and (request or requesting or requested) near4 server near4 (characteristics or load or metric) with proxy  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:14 |
| S133 | 1  | S55 and S132  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:14 |
| S134 | 18 | S56 and proxy near2 (request or requesting or requested) near4 server near4 (characteristics or load or metric) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:14 |
| S135 | 0  | S55 and S134  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:14 |
| S136 | 71 | S56 and request adj2 server adj load  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S137 | 2  | S55 and S136  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S138 | 23 | S56 and load adj (balancing or balancer) and request near2 availability near4 server                            | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S139 | 3  | S55 and S138  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S140 | 51 | S56 and request near2 server near2 statistics   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S141 | 1  | S55 and S140  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |
| S142 | 1  | server adj2 availability adj2 protocol  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/03/03 17:16 |

|      |     |   |  |    |    |                     |
|------|-----|---|--|----|----|---------------------|
| S143 | 0   | S55 and S142                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:16 |
| S144 | 26  | server adj2 availability adj2 request   | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:17 |
| S145 | 2   | S55 and S144                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:17 |
| S146 | 18  | S56 and S144                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:17 |
| S147 | 0   | S55 and S146                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:17 |
| S148 | 98  | server near2 availability near2 request | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:18 |
| S149 | 9   | S55 and S148                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:18 |
| S150 | 113 | S56 and server adj2 load adj2 request   | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:18 |
| S151 | 6   | S55 and S150                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:18 |
| S152 | 1   | bazot-philippe-\$.in.                   | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S153 | 0   | S55 and S152                            | US_PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |

|      |     |  |  |    |    |                     |
|------|-----|--|--|----|----|---------------------|
| S154 | 12  | bazot-philippe\$.in.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S155 | 3   | S55 and S154   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S156 | 34  | drouet-francois-xavier\$.in.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S157 | 0   | S55 and S156   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S158 | 358 | (international adj business.<br>as. or ibm.as.) and request<br>and http near2 header | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S159 | 17  | S55 and S158   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:19 |
| S160 | 484 | S55 and 709/206.col\$.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO; DERWENT;<br>IBM_TDB | OR | ON | 2009/03/03<br>17:21 |

3/4/2009 7:29:54 AM

C:\Documents and Settings\osurvillo\My Documents\EAST\Workspaces\10615504extraplus.wsp